Irritable Bowel Syndrome

Fozia Ali, MD and Patricia Lacsina, MD Reviewed 05/2014

REFERENCES

1 Wilkins T. Diagnosis and management of IBS in adults. *Am Fam Physician.* 2012;86:419–426. [View Abstract] (http://www.ncbi.nlm.nih.gov/pubmed/22963061)

2 Shah ED, Basseri RJ, Chong K. Abnormal breath testing in IBS: A meta-analysis. *Dig Dis Sci.* 2010;55:2441–2449. [View Abstract] (http://www.ncbi.nlm.nih.gov/pubmed/20467896)

3 Videlock EJ, Cheng V, Cremonini F. Effects of linaclotide in patients with irritable bowel syndrome with constipation or chronic constipation: A meta-analysis. *Clin Gastroenterol Hepatol.* 2013;11:1084–1092.e3. [View Abstract] (http://www.ncbi.nlm.nih.gov/pubmed/23644388)

4 Schey R, Rao SS. The role of rifaximin (/collectioncontent/186674) therapy in patients with irritable bowel syndrome without constipation. *Expert Rev Gastroenterol Hepatol.* 2011;5:461–464. [View Abstract] (http://www.ncbi.nlm.nih.gov/pubmed/21780893)

5 Vazquez-Roque MI, Camilleri M, Smyrk T. A controlled trial of gluten-free diet in patients with irritable bowel syndrome-diarrhea: effects on bowel frequency and intestinal function. *Gastroenterology.* 2013;144:903–911.e3. [View Abstract] (http://www.ncbi.nlm.nih.gov/pubmed/23357715)

6 Carroccio A, Mansueto P, Iacono G. Non-celiac wheat sensitivity diagnosed by double-blind placebo-controlled challenge: Exploring a new clinical entity. *Am J Gastroenterol.* 2012;107:1898–1906. [View Abstract] (http://www.ncbi.nlm.nih.gov/pubmed/22825366)

Copyright ©
Wolters Kluwer